

# GC-3<sup>®</sup>



## Organic and Biodegradable Natural Oil

### Product Information

#### GENERAL INFORMATION

**GC-3<sup>®</sup>** is a combination of natural oils and extracts that may be used on most agricultural crops. When applied in accordance with the label, **GC-3<sup>®</sup>** can assist plants when they are under disease pressure, in the field and in the greenhouse conditions.

#### ACTIVE INGREDIENTS

Cottonseed Oil	31%
Garlic Extract	23%

#### INERT INGREDIENTS

Casein, Lecithin, Soy Flour, Water	46%
------------------------------------	-----

<b>TOTAL</b>	<b>100%</b>
--------------	-------------

#### KEEP OUT OF REACH OF CHILDREN

#### CAUTION:

Do NOT apply on peppers or chilli (capsicum) plants, pears, stone fruits and on certain varieties of roses.

Do NOT apply in extreme heat conditions.

Do NOT mix **GC-3<sup>®</sup>** with any other chemical unless specified.

Check compatibility by spraying a small number of plants before initial applications.

#### SHAKE WELL BEFORE USE

#### NET CONTENTS

☐ 5 Gallons (18.9 Litres)

Lot #

### Directions and General Recommendations

#### FOLIAR APPLICATION

##### SHAKE WELL BEFORE USING

*Continuous agitation while spraying is necessary for even distribution of the oil*

##### FRUIT TREES AND VEGETABLES:

For best results, apply **GC-3<sup>®</sup>** before first signs of disease pressure or shortly there after. **GC-3<sup>®</sup>** can be easily incorporated into any IPM program.

Use **10 - 15 ml. of GC-3<sup>®</sup> per Litre of water or, 1 - 1.5 L of GC-3<sup>®</sup> per 100 Litres of water.** Do NOT exceed 20ml. per Litre of water. Apply enough solution to cover the entire surface area of the infected tissue. Make repeat applications every 7-10 days while disease pressure is present. The use of spreader (**Natural Wet<sup>®</sup>**) may increase efficiency.

##### GARDEN PLANTS AND ORNAMENTALS:

Dilute **10 - 15 ml. of GC-3<sup>®</sup> per Litre of water.** Do NOT exceed 20ml. per Litre of water. Use high pressure, high volume application equipment and thoroughly wet the foliage to the point of runoff. Make repeat applications every 7-10 days while disease pressure is present.

#### LIMITED WARRANTY

Manufacturer or reseller makes no warranty, whether expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Neither manufacturer nor reseller shall be liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described on the label.

#### FIRST AID MEASURES

If contact occurs, immediately flush eyes with plenty of clean water for at least fifteen (15) minutes. Wash skin with soap and water and remove contaminated clothing.

If swallowed, drink large quantities of water immediately. Consult physician if irritation persists.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not store on side. Avoid creasing or impacting of side walls.

Imported and Distributed in Australia exclusively by: Zadco For Quality Gro PTY LTD. ABN 57080 759 084 | PO BOX 6973 Baulkham Hills BC NSW 2153 Australia  
Ph: 02 8814 6638 | Fax: 02 8814 6623 | Email: inquiries@zadco.com.au | Website: www.zadco.com.au | Imported and Distributed in New Zealand exclusively by:  
Roots Shoots and Fruits Ltd | PO Box 72, Waiheke Island, Auckland, New Zealand | Ph: +64(0) 9372 9155 | Fax: +64(0) 9372 9156 | Email: rsf@rd2.co.nz  
Website: www.rd2.co.nz | Manufactured by: JH BIOTECH, INC. PO Box 3538, Ventura, CA 93006, USA