



SOIL AND FOLIAR FERTILISERS

K-Forte™ POWDER

0 - 20 - 40

Soil Applied Potassium & Phosphorous
+ Humic Acid

K-Forte™ Powder is designed to provide both Potassium and Phosphorous at high concentrations through the soil, with the advantage of being Nitrogen free.

The K-Forte™ Advantage

- K-Forte™ Powder helps encourage winter growth especially in lower than expected temperatures, as well as inadequately heated greenhouses when crops are stunted.
- P and K deficiencies occur during times of stress, before flowering, and peak fruit/crop growth. As both these nutrients are essential especially during early and later stages of crop development, K-Forte™ Powder rapidly and effectively corrects such deficiencies especially when foliar applications of P and K are not possible.
- No risk of late season flushing of vegetation as no Nitrogen is present in formulation.



Available Pack Sizes

10 kg | 25 kg



POWDER



ECO-FRIENDLY

Guaranteed Analysis

	%w/v
Total Nitrogen (N)	0
Total Phosphorous (P)	20
Total Potassium (K)	40

Also Contains: 0.17% W/V Humic acid present as Potassium humate

Benefits

- Best available soil-applied source of high Potassium and Phosphorous
- Increases overall health & nutrient balance of the crop
- Increase flower and fruit retention
- Increases yield potential and product quality

Compatibility

- Always run a compatibility test before applying K-Forte™ Powder with other chemicals
- K-Forte™ Powder is compatible with most fungicides and insecticides
- K-Forte™ Powder is incompatible with Magnesium and Calcium containing nutrients

Product Storage and Handling

- K-Forte™ Powder is stable under normal storage conditions. Store in a cool, dry place
- Dispose of product/container in accordance with federal, state and local regulations

Plant and Environmental Safety

- Harmless to plants and is non-phytotoxic when applied according to label directives
- Harmless to wildlife and is environmentally friendly

Application Guidelines

CROP	SOIL APPLICATION	
	TIMING	RATE
FRUIT		
ORCHARDS: Apple & Pome fruit	Apply at onset of ripening Repeat as needed	8-15kg/ha 8-15kg/ha
Citrus Crops	Apply Mid-season onwards Repeat as needed	8-15kg/ha 8-15kg/ha
Avocado	Apply 1 month before flowering Apply 3-4 weeks after fruit set Apply mid-late season Repeat as needed	8-15kg/ha 8-15kg/ha 8-15kg/ha 8-15kg/ha
Stone fruit & Cherries	Apply at onset of ripening Repeat as needed	8-15kg/ha 8-15kg/ha
TREE NUTS: Almonds	Apply late season Nov-Dec prior to hull-split	8-15kg/ha
OTHER TREE NUT CROPS: Walnuts, Pecans, Pistachio, Macadamia	Apply at onset of oil accumulation Repeat as needed	8-15kg/ha 8-15kg/ha
OLIVE GROVES	Apply at onset of oil accumulation Repeat as needed	8-15kg/ha 8-15kg/ha
TROPICAL FRUIT: Banana, Mango, Lychees, Papaya etc	Apply as needed any time after fruit set Repeat as needed	8-15kg/ha 8-15kg/ha
ALL BERRY CROPS	Apply 2 weeks before flowering Repeat fortnightly	6-10kg/ha 6-10kg/ha
VINEYARD CROPS: Wine grapes	N/A (Please refer to K-Forte™)	N/A (Please refer to K-Forte™)
Table grapes	Apply from veraison and/or after covers go on Repeat as needed	10-20kg/ha 10-20kg/ha
VEGETABLES		
TUBER/ ROOT/BULB VEGETABLES: Potato, Parsnip, Onion, Garlic, Carrots	Apply mid-late season Repeat as needed	8-15kg/ha 8-15kg/ha
FRUITING VEGETABLES: Tomato, Caps, Eggplant, Cucurbits Chilli, all Melons	Apply any time after fruit set Repeat as needed	6-15kg/ha 6-15kg/ha
BRASSICA VEGETABLES	Apply at first sign of a button Repeat 7-10 days later Repeat 7-10 days later	10kg/ha 10kg/ha 10kg/ha
LEAFY VEGETABLES	Apply any time as needed	6-10kg/ha

For more information on application rates and timing relevant to your crop or circumstances please contact your local distributor or visit www.zadco.com.au

Disclaimer: Any rates of application and timing may vary and are subject to change according to crop variety, crop demand for nutrient/s, seasonal variations, and crop circumstance. Technical advice is provided to growers on the basis that the information supplied by the grower or agent is correct and that any technical support obtained from third parties (e.g. soil and leaf analysis results) is also correct at the time of preparation of the report. Zadco does not accept any liability whatsoever and howsoever arising from the use of the technical advice and the products used, should the information supplied to Zadco be incorrect or inaccurate. For warranty details, please refer to JH Biotech's warranty on the product label.